

# 3102 - CLEARGLAZE WEBSHEEN

861 Derwent Way, Delta, BC, Canada V3M 5R4 Telephone 604 - 522 - 2811 Facsimile 604 522-5141

# **PRODUCT BULLETIN**

# **General Description**

3102 is a clear, high gloss, non-yellowing concrete and masonry surface sealer specially formulated of acrylic polymers in a VOC compliant solvent solution. This coating is outstanding in its ability to protect surfaces from staining and discoloration.

#### Uses

Very effective on exposed aggregate, concrete or concrete pavers to achieve the "wet' look, and to minimize discoloration caused by the rough texture trapping dirt particles. Clearglaze is an excellent all round weather proofing coating. Effective sealer for terazzo, stone, slate and unglazed tiles.

Protective coating for concrete and other substrates against occasional spills of acids, alkalis, food acids, oil, water based paints, and wet concrete.

For Exterior Use Only.

### **Physical Properties**

Appearance Density (25⁰C)	-	Clear liquid 0.94 kg/litre (7.8 lb/U.S. gallon)
Dry Film Appearance	-	Clear
Dry Film Appearance Drying Time (21 <sup>0</sup> C)	-	1 to 2 hours
Coverage	-	125 to 170 ft <sup>2</sup> per U.S. gal
Solids	-	25%

# **Application Instructions**

Make sure surface is free of oil and dirt. This can be achieved by scrubbing with a soap solution of trisodium phosphate or Paveclean solution. After cleaning, rinse the surface thoroughly and let dry.

Apply 3102 by roller or low pressure sprayer. Caution should be used when rolling at temperatures above 20°C. Do not apply in direct sunlight.

Apply in thin coats. Wait a minimum of 2 hours between coats.

Not for use as a Cure and Seal. Please use Clearcoat 3101 for curing. Allow concrete to cure a minimum of 7 days before applying 3102 Clearglaze .

Do not thin.

Tools can be cleaned up with xylene or Resolve after use.

## Packaging

Clearglaze is available in 3.78 ltr (1 U.S. gal), 18.93 ltr (5 U.S. gal), and 205 ltr (55 U.S. gal.) drums.